

Monday - Friday 7am-5pm + Sat 8am-4pm

Sales Centre for Sales, Advice + Orders T +61 8 9209 7400 hello@beyondtools.com

# 18V CORDLESS BRUSHLESS 5 PIECE COMBO KIT F28729 BY FESTOOL





SKU	Option	Part #	Price
100260		F28729	\$3350

Model		
Туре	5Pce Combo Kit	
SKU	100260	
Part Number	F28729	
Brand	Festool	
Packaging + Shipping		
Shipping Weight (Gross)	1.48 kg	

#### Includes:

- 1 x Festool TID 18 5,2-Set PDC 18 18V 5.2Ah 2 Piece Cordless Impact Driver and Drill Driver Set 576491
- 1 x Festool OSC 18 E-Basic 18V Starlock Cordless Brushless Oscillator Skin 576591
- 1 x Festool AGC 18-125 Li EB-Basic 18V 125mm AGC Cordless Angle Grinder Skin 575343
- $1\ x$  Festool TSC55REBLi-Basic 160mm Cordless Plunge Cut Saw Skin 201395
- $2 \times \text{Festool } 201797 18V \text{ Li-ion } 6.2\text{Ah Bluetooth Airstream}$  Battery Pack
- 1 x Festool SCA 8- Rapid Battery Charger with Airstream
- 2 x Festool FS 1400/2 1400mm Guide Rail 491498
- 2 x Festool FSV FS Guide Rail Joiner 482107
- $1\ x$  Festool FS-BAG Guide Rail Bag for 1400 mm Guide Rail 466357
- $1\ x$  Fein 35222942050 28/35/44/65mm E-Cut Accessory Set

Festool TID 18 5,2-Set PDC 18 - 18V 5.2Ah 2 Piece Cordless Impact Driver and Drill Driver Set 576491 Festool TID 18-Basic - 18V Cordless Impact Drill Driver Basic Skin 576481

#### Features

Robust: Long-lasting quality components, also fully covered thanks to the comprehensive support provided by Festool Service

Maximum power: Thanks to the extremely powerful, brushless, and therefore long-lasting, latest generation ECTEC motor with three speed levels, 180 Nm torque and additional T-mode specifically for self-tapping screws Safe: kickback-free tangential hammer mechanism protects your wrist

Ergonomic: compact design enables you to work accurately and for longer without becoming tired, even in hard to reach areas

Flexible battery system: For applications with high power needs, the 4.0 Ah Li-HighPower Compact battery pack provides the ideal powerful, compact and lightweight solution. For even less weight, opt for the 3.1 Ah Compact battery pack for light screw joints

Monday - Friday 7am-5pm + Sat 8am-4pm

Sales Centre for Sales, Advice + Orders T +61 8 9209 7400 hello@beyondtools.com

Convenient: tool-free 1/4\" holder, integrated bit storage, optimum LED illumination of the work area, belt clip for

attachment on both sides

Mobile: packed in a Systainer<sup>3</sup>, the TID 18 can be integrated perfectly into the bott vehicle fixture for easy transport from

the body shop to the building site

Screwdriving work that protects your wrist, with no reverse

torque

Furniture assembly and kitchen fitting Installation of fittings, rear walls, strips Installation of doors and windows Screwdriving in wood, metal and plastic Fences, pergolas, carports, canopies

Production of wooden substructures

**Specifications** 

Tool Weight (kg): 1.3 kg

No Load Speed 1st Gear (rpm): 0 - 1200 min<sup>-1</sup> No Load Speed 2nd Gear (rpm): 0 - 2000 min<sup>-1</sup>

Battery Voltage (V): 18 V

Battery Capacity (Ah): 3.1/4.0 / 5.2/6.2 Ah

Power Source: Cordless Motor Type: Brushless

Battery Type ie. Lithium-ion: Lithium-ion

Gears: 3 + T-Modus

Maximum Torque Wood (Nm): 180 Nm

No Load Speed 3rd Gear (rpm): 0 - 3200 min<sup>-1</sup> Maximum Impact Rate (imp): 4 500 min<sup>-1</sup> Maximum Screw Diameter (mm): 8 x 220 mm

Festool PDC 18/4-Basic - 18V Brushless Cordless Hammer

Drill Basic Skin 576466

## **Features**

Robust metal gearbox

An even wider range of applications

Intelligent motor management

Durable and extremely light

Can be individually adjusted

Optimal lighting

In the smallest of spaces

CENTROTEC quick-change system

Chuck for standard tools

# **Main Applications**

Production of wooden substructures, frame structures

Installation of doors and windows

Drilling and screwdriving in wood, metal and plastic

Drive screws into wood up to  $10x300\ mm$ 

Drilling in wood up to 50 mm with Forstner drill bits

### **Specifications**

Tool Weight (kg):

1,9 kg (with 4.0 Ah battery)

2,0 kg ( with 5.2 Ah battery)

Drilling Diameter Steel (mm): 13 mm Drilling Diameter Wood (mm): 50 mm

Gears: 4


No Load Speed

1st Gear (rpm): 0 - 400 min<sup>-1</sup> 2nd Gear (rpm): 0 - 850 min<sup>-1</sup> 3rd Gear (rpm): 0 - 1850 min<sup>-1</sup> 4th Gear (rpm): 0 - 3800 min<sup>-1</sup> Battery Voltage (V): 18V

Maximum Torque Wood (Nm): 40 Nm

WWW.BEYONDTOOLS.COM - © COPYRIGHT 2024 BEYOND TOOLS - VERSION: 20241007

Errors and omissions excepted





Sales Centre for Sales, Advice + Orders T+61 8 9209 7400 hello@beyondtools.com

Maximum Torque Steel (Nm): 60 Nm

Torque Adjustment 1st Gear (Nm): 1.2 - 11.5 Nm Torque Adjustment 2nd Gear (Nm): 0.8 - 7.2 Nm

Chuck Range (mm): 1.5 - 13 mm Drilling Diameter Brick (mm): 10.00 mm Festool OSC 18 E-Basic - 18V Starlock Cordless

Brushless Oscillator Skin 576591

#### **Features**

Quick-change system with StarlockMax tool holder

Anti-vibration system Optimum working progress Huge versatility Dust extraction device

Positioning aid Depth stop

Powerful in use

Perfect ergonomics

# **Main Applications**

For creating notches, cutouts and plunge cuts in wood, laminated wood, painted wood, composite materials, GFRP, plasterboard, non-ferrous metals and plastics Cutting all kinds of skirting board, beams and profiles to length as well as door frames and pipes

Scraper for removing tile cement, old paint, glue residues,

silicones, carpeting and under-floor coatings

Suitable for cutting joints in marble, epoxy resin, trass, hard

epoxy and cement

Removing window glass (window putty)

# **Specifications**

Tool Weight (kg): 1.8 kg with 4.0 Ah battery

Battery Voltage (V): 18V Power Source: Cordless Motor Type: Brushless

Oscillation (rpm): 10 000 - 19 500 min<sup>-1</sup>, 2 x 2,0° Tool Holder Type: StarlockMax, also compatible with

StarlockPlus / Starlock

Festool AGC 18-125 Li EB-Basic - 18V 125mm AGC Cordless

Angle Grinder Skin 575343

## **Features**

**Dust-resistant** 

Working with the material in mind

Impressively ergonomic Time-saving work Safe investment

# Main applications

Cutting the toughest materials (metal, stone and concrete

materials)

Easy grinding and roughing work (e.g. deburring metal)

# **Specifications**

Power Source: Cordless Battery Voltage: 18 V

Battery Type: Lithium-ion battery No Load Speed: 4500 - 8500 rpm

Disc Diameter: 125 mm

Flange: M14

Tool Weight: 2.70 kg

Festool TSC 55 REB Li-Basic - 160mm Cordless Plunge Cut

Saw Skin 201395

#### **Features**

Quick. Powerful. Durable

Monday - Friday 7am-5pm + Sat 8am-4pm

Sales Centre for Sales, Advice + Orders T +61 8 9209 7400 hello@beyondtools.com

2 x 18 V for greater endurance and range

Maximum precision

Dust-free work

Changing saw blades is now even quicker and easier

Safe sawing, precision positioning

Precision cuts for less rework

Angle setting of -1 to 47°

Charge status is visible at all times

### **Main Applications**

Precise circular in materials up to 55 mm thick

Cutting interior doors to length using guide rail and circular

saw

Cutting recesses in doors and kitchen worktops

Manufacturing expansion joints in parquet flooring and false

joints

Cutting chipboard to size

#### **Specifications**

Tool Weight (kg): 4.6 kg / 5.3 kg Battery Voltage (V): 18V to 36V

No Load Speed (rpm): 2,650 rpm - 3,800 rpm / 5,200 rpm

Saw Blade Diameter (mm): 160 mm Cutting Depth (mm): 0 mm - 55 mm Cutting Depth at 45° (mm): 43 mm

Dust Extraction Connection Diameter (mm): 27 mm / 36 mm

Bevel Angle Range (°): -1° to 47° Battery Capacity (Ah): 5.2 Ah Power Source: Cordless Motor Type: Brushless Battery Type: Lithium-ion

Festool 201797 - 18V Li-ion 6.2Ah Bluetooth Airstream

Battery Pack

# Features

Unbeatable convenience Bluetooth battery packs: 36 Month Warranty by Festool

# **Specifications**

Product Name: 18V Li-ion 6.2 Ah Bluetooth Airstream Battery

Pack

Battery Voltage: 18V Battery Capacity: 6.2 Ah Battery Type: Lithium-ion

Technology: Airstream & Bluetooth

Weight: 0.7 kg

Festool SCA 8- Rapid Battery Charger with Airstream 200312

# **Features**

Cooling airflow for rapid charging

For use with all lithium-ion battery packs (except CXS/TXS)

With AIRSTREAM function

Replacement lithium-ion charger for 10.8 – 18 V battery

packs

Weight 1.1 kg

Charging current 8 A

Input voltage 220 - 240 V, in self-service display pack.

# **Compatible Tools**

C 18 Cordless Drill Basic

DRC 18 Cordless Drill Basic

PDC 18 Cordless Hammer Drill Basic

HKC 55 160 mm Cordless Circular Saw Basic

PSC 420 Cordless Barrel Grip Jigsaw Basic

# REYOND

# 23 Exhibition Drive, Malaga Western Australia

Monday - Friday 7am-5pm + Sat 8am-4pm

Sales Centre for Sales, Advice + Orders
T +61 8 9209 7400
hello@beyondtools.com

PSBC 420 Cordless D Handle Jigsaw Basic Uni LED Cordless Flashlight SYSRock Worksite Radio Festool FS 1400/2 - 1400mm Guide Rail 491498

#### **Features**

Tool free adjustment Splinter free cuts Quick for diagonal cuts Precision results Flawless guidance

#### **Specifications**

Length: 1400 mm

Festool FSV - FS Guide Rail Joiner 482107

# **Features**

Connect any number of guide rails for accurate, limitless cutting with Festool Guide Rail Connectors.

Connectors fit in integrated guide rail slots for secure cutting. To connect the Festool MFS templates.

Set screws are slotted to prevent over tightening the rail. Includes 1 connector (2 are needed).

### Includes

 $1 \times \text{Joiner}$  (2 are needed). Festool FS-BAG - Guide Rail Bag for 1400mm Guide Rail 466357

#### **Features**

Protect your guide rail investment from scratches and dings with a durable nylon carrying bag with shoulder straps.

Designed for convenient and protected transport or storage of up to two 1400 mm or shorter guide rails.

\*Guide Rail NOT included

# Specifications

Guide Rail Length: Up to two 1400 mm or shorter guide rails Fein 35222942050 - 28/35/44/65mm E-Cut Accessory Set

#### Includes

1 x E-Cut universal saw blade 28 mm 1 x E-Cut universal saw blade 44 mm

2 x E-Cut long-life saw blades 35 mm

2 x E-Cut long-life saw blades 65 mm