

## 10PCE 5.5MM X 165MM SDS PLUS MX4 4-CUT BIT 4932352041 BY MILWAUKEE



SKU	Option	Part #	Price
5009163		4932352041	\$89.8

Model	
Type	SDS Plus Bit
SKU	5009163
Part Number	4932352041
Barcode	4002395366989
Brand	Milwaukee
Size	5.5mm x 165mm
Packaging + Shipping	
Shipping Weight (Gross)	1.48 kg

MILWAUKEE SDS Plus MX4 Drill Bits have symmetrical 4 cutter geometry (4 x 90°) & perfect round holes for optimal anchor fitting. The high volume 4 flute geometry ensures the optimum removal of dust and debris. There is a centering tip for easy spot drilling with pinpoint accuracy. A welded solid carbide tip on ø 5-10 mm allows for wider flute entrance leading to increased speed. More carbide leads to a higher durability of the tip and higher lifetime. The 4 breaker points pulverize material more efficiently for faster drilling, Enhanced rebar guards for an improved resistance when hitting rebar. New variable flute design has a thin flute at the tip for maximum debris extraction, higher speed and less friction. Thick flute at the base for higher stability and reduced bit breakage.

### Features:

Symmetrical 4 cutter geometry 4 x 90°: Perfect round holes for optimal anchor fitting.

4 Flute Geometry: The high volume 4 flute geometry ensures the optimum removal of dust and debris.

Centering tip for easy spot drilling with pinpoint accuracy.

Welded solid carbide tip on 5-8mm: Allows for wider flute entrance leading to increased speed.

More carbide leads to a higher durability of the tip and higher lifetime.

4 breaker points pulverize material more efficiently and allow the bit to be up to 20% faster than the competition.



**23 Exhibition Drive, Malaga Western Australia**

Monday - Friday 7am-5pm + Sat 8am-4pm

**Sales Centre** for Sales, Advice + Orders

T +61 8 9209 7400

[hello@beyondtools.com](mailto:hello@beyondtools.com)

Enhanced rebar guards for an improved resistance when hitting rebar.

New variable flute design: Thin flute at the tip for maximum debris extraction

Higher speed and less friction.

Thick flute at the base for the higher stability and reduced bit breakage.

Made in Germany