



23 Exhibition Drive, Malaga Western Australia

Monday - Friday 7am-5pm + Sat 8am-4pm

Sales Centre for Sales, Advice + Orders

T +61 8 9209 7400

[hello@beyondtools.com](mailto:hello@beyondtools.com)

## BSW BOTTOMING CHROME TAP BY BORDO



SKU	Option	Part #	Price
8707543	Size: 1/2" x 12TPI	4228-1/2B	\$13.52
8722889	Size: 1/8" x 40TPI	4228-1/8B	\$9.4

Model	
Type	Bottoming Tap
SKU	8707543
Part Number	4228-1/2B
Barcode	9326518042563
Brand	Bordo
Packaging + Shipping	
Shipping Weight (Gross)	0.0 kg



**23 Exhibition Drive, Malaga Western Australia**

Monday - Friday 7am-5pm + Sat 8am-4pm

**Sales Centre** for Sales, Advice + Orders

T +61 8 9209 7400

[hello@beyondtools.com](mailto:hello@beyondtools.com)



**About this item:**

Chrome Alloy BSW Bottoming Hand Tap.



**23 Exhibition Drive, Malaga Western Australia**

Monday - Friday 7am-5pm + Sat 8am-4pm

**Sales Centre** for Sales, Advice + Orders

T +61 8 9209 7400

[hello@beyondtools.com](mailto:hello@beyondtools.com)

Used as thread chasers to clean an existing thread.

They can also be used to create a new female thread in non-ferrous metals and plastics.

Chrome alloy taps are not suitable for creating precision, safety or critical threads.

British Standard Whitworth has a thread angle of 55 degrees as opposed to 60 degrees in Metric and Unified threads.

This thread form was developed by Sir Joseph Whitworth in 1841.

The thread form has rounded roots and crests and is specified in BS84:1956.

The major diameter of external thread and pitch are specified by a simple numerical value (most commonly measured in millimetres).

Bottoming Taps have a lead of two threads and are used to ensure minimum thread run-out when tapping to the bottom of a blind hole.

Bottoming Taps are typically preceded by the use of a Taper or Intermediate Tap.

**Options**

4228-1/2B

4228-1/8B