

23 Exhibition Drive, Malaga Western Australia

Monday - Friday 7am-5pm + Sat 8am-4pm

Sales Centre for Sales, Advice + Orders T +61 8 9209 7400 hello@beyondtools.com

12MM X 210MM SDS PLUS 2-CUT DRILL BIT 4932307076 BY MILWAUKEE



SKU	Option	Part #	Price
8716601		4932307076	\$11.7



Model	
Туре	Bit
SKU	8716601
Part Number	4932307076
Barcode	4002395308927
Brand	Milwaukee
Packaging + Shipping	
Shipping Weight (Gross)	1.48 kg

MILWAUKEE SDS Plus 2-Cut drill bits have Breaker Points. 3 offset aggressive power breakers. These produce a "Demolition" effect and create micro cracks in the drilled material. Up to 25% FASTER. Centering tip ensures immediate spot drilling with pin point accuracy. This prevents skidding on smooth surfaces. Enlarged rebar chamfers prevents side tip damage when hitting rebar, this reduces the risk of the drill bit jamming when hitting rebar. Tapered shoulder design provides a thinner shoulder towards drill tip for less friction providing for greater speed. This is Ideal for cordless hammers identified from its tapered shoulder geometry. Reinforced flute has high volume flute geometry for optimum dust removal. Reinforced flute design (thicker core) gives full power transfer to the tip, this lowers vibrations and gives exceptional break resistance with less breakages and best durability. Features:

Breaker Points: 3 offset aggressive power breakers which produce a "Demolition" effect and create micro cracks in the drilled material. Up to 25% FASTER.

Centring tip: Ensures immediate spot drilling with pin point accuracy. Prevents skidding on smooth surfaces.

Enlarged rebar chamfers: Prevents side tip damage when hitting rebar. Reduces the risk of the drill bit jamming when hitting rebar.

Tapered shoulder design: Thinner shoulder towards drill tip for less friction providing for greater speed. Ideal for cordless hammers identified from its tapered shoulder geometry. Reinforced flute: High volume flute geometry for optimum dust removal.

Reinforced flute design (thicker core) gives: - Full power transfer to the tip. - Lower vibrations. - Exceptional break resistance. - Less breakages and best durability.