

23 Exhibition Drive, Malaga Western Australia

Monday - Friday 7am-5pm + Sat 8am-4pm

Sales Centre for Sales, Advice + Orders
T +61 8 9209 7400
hello@beyondtools.com

800W ROTARY HAMMER DRILL D25133K-XE BY DEWALT





SKU	Option	Part #	Price
8721586		D25133K-XE	\$319

Model	
Туре	Rotary Hammer
SKU	8721586
Part Number	D25133K-XE
Barcode	5035048480618
Brand	Dewalt
Packaging + Shipping	
Shipping Weight (Gross)	1.48 kg

Features:

Ideal for drilling anchor and fixing holes into concrete and masonry from 4 to 26 mm in diameter

Rotation-stop for light chiselling applications in brick, soft masonry and occasionally concrete

Impact-stop for drilling in wood, steel, ceramic and screwdriving applications

Mechanical clutch eliminates sudden high-torque reaction

should the bit jam
Electronic variable speed for total control in any application

Ergonomic rubber coated back handle design for improved comfort in use

Rounded ergonomic industrial design allows easy and comfortable handling in any application

Improved sealing for maximum protection from dust ingress ensuring long tool life

Output air slots designed to protect users' eye

Specifications:

Tool Holder: SDS-Plus Power Input: 800 Watts Power Output: 640 Watt

Impact energy (EPTA 05/2009): 2.6 J

No Load Speed: 0-1500 rpm Blows per Minute: 0-5500 bpm

Max. Drilling Capacity [Concrete]: 26 mm Max. Drilling Capacity [Core bit]: 50 mm Max. Drilling Capacity [Wood]: 30 mm Max. Drilling Capacity [Metal]: 13 mm

Weight: 2.6 kg Length: 335 mm Height: 210 mm Width: 75 mm



23 Exhibition Drive, Malaga Western Australia

Monday - Friday 7am-5pm + Sat 8am-4pm

Sales Centre for Sales, Advice + Orders T +61 8 9209 7400 <u>hello@beyondtools.com</u>

Hand/Arm Vibration - Hammer drilling into concrete: 15.4 m/s

2

Uncertainty K 1 (Vibration): 1.5 m/s 2 Hand/Arm Vibration - Chiselling: 14.9 m/s 2 Uncertainty K 2 (Vibration): 1.5 m/s 2 Hand/Arm Vibration - Drilling into metal: Uncertainty K 3 (Vibration): 1.5 m/s 2

Hand/Arm Vibration - Screw driving without impact:

Uncertainty K 4 (Vibration): 1.5 m/s ²

Sound Pressure: 89 dB(A)

Sound Pressure Uncertainty: 3.8 dB(A)

Sound Power: 100.1 dB(A)

Sound Power Uncertainty: 3.8 dB(A)

Includes:

Multi position rubber side handle

Depth stop

Heavy duty carrying case