

2PCE 18V 8.0AH BRUSHLESS CORDLESS HAMMER DRILL + IMPACT DRIVER COMBO KIT (AU68203080) BY METABO



SKU	Option	Part #	Price
8726112		AU68203080	\$789

Model	
Type	Combo Kit
SKU	8726112
Part Number	AU68203080
Barcode	9339742001237
Brand	Metabo
Technical - Main	
Amp Hour	5.5Ah
Packaging + Shipping	
Shipping Weight (Gross)	1.48 kg

Metabo 18V 65-130Nm Hammer Drill SB 18 LTX BL
I602360850

Features:

Brushless hammer drill with maximum power for demanding applications

Hammer drill function for drilling in masonry

Selectable "impuls" mode for removal of stubborn screws and for spot-drilling on smooth surfaces

Precision Stop: electronic torque control with increased precision for precise, delicate working

Electronic safety shutdown: no kickback if the drill bit stops unexpectedly - for high user safety

Integrated LED work light with night light function for optimal brightness in the work area

With handy belt hook and bit case which can be fixed either on the right or left side

Specifications:

Voltage	18 V
Maximum torque - soft	65 Nm
Pulse torque	65 Nm
Maximum torque, hard	130 Nm
Adjustable torque	1 - 20 Nm
Max. thread diameter	M 12
Drill - masonry	16 mm
Drill - Steel	13 mm
Drill - Soft wood	68 mm
No-load speed	0 - 550 / 0 - 2000 rpm
Maximum impact rate	38000 bpm
Chuck capacity	1.5 - 13 mm
Weight	1.8 kg



23 Exhibition Drive, Malaga Western Australia

Monday - Friday 7am-5pm + Sat 8am-4pm

Sales Centre for Sales, Advice + Orders

T +61 8 9209 7400

hello@beyondtools.com

Metabo 18V Brushless Impact Driver SSD 18 LTX 200

BL602396890

Features:

Compact cordless impact driver with 1/4" hexagon socket and 200 Nm

Unique Metabo brushless motor for quick work progress and highest efficiency for any application

Automatic Power Shift (APS) supports working with self-tapping screws: automatic torque reduction after drilling to prevent overtightening.

Twelve speed/torque levels for a wide range of applications

Integrated work light for illumination of the work area

Robust die cast aluminium gear housing for optimum heat dissipation and durability

Handy belt hook, can be fixed either on the right or left side

Battery packs with capacity display for checking the charge status

Ultra-M technology: highest performance, gentle charging and 3 years of warranty on the battery pack.

Specifications:

Battery voltage	18 V
Max. no-load speed	2900 rpm
Maximum impact rate	4000 bpm
Maximum torque	200 Nm / 1770 in-lbs
Speed/torque levels	12
Bit retainer	Hexagon recess 1/4" (6.35 mm)
Sound pressure level	94 dB(A)
Sound power level (LwA)	105 dB(A)
Uncertainty of measurement K	3 dB(A)
Weight	1.3 kg

Metabo 18V LiHD Battery Pack 8.0Ah 625369000

Features:

LiHD battery packs for ultimate performance and extremely long application with minimal temperature generation

Ultra M technology: Intelligent battery management for long-lasting battery packs with a 3 year guarantee

Patented "AIR COOLED" charging technology

Permanent Electronic Single Cell Protection (ESCP) when charging, for particularly long life.

Processor-controlled charge and discharge management

Capacity display with almost no self-discharge

One battery pack for everything. 100% compatibility with all

18 V machines and chargers of the CAS partners:

www.cordless-alliance-system.com

Specifications:

Voltage	18V
Capacity	8 Ah
Weight	1 kg

Metabo 12-36V Air Cooled Charger ASC 55 627047000

Features:

Monitored charging with microcontroller

Battery diagnosis

Charge time approximately 30 minutes at 1.5 Ah



23 Exhibition Drive, Malaga Western Australia

Monday - Friday 7am-5pm + Sat 8am-4pm

Sales Centre for Sales, Advice + Orders

T +61 8 9209 7400

hello@beyondtools.com

"AIR COOLED" function

For charging all Li-Power Compact, Li-Power Plus, Li-Power Extreme battery packs

Monitored charging with microcontroller: the battery pack is charged with 2.5 ampere with constant monitoring of voltage flow, temperature flow and maximum temperature. The charger ends the charging process immediately after full charging. Thus, there is no overcharging and the life of the battery pack increases.

Charger switches to compensation charge: to conserve the capacity, the battery pack is charged for 1 second every 45 seconds with 2.5 ampere.

"AIR COOLED" function: the patented principle is based on air-cooling the battery pack during the charging process. The battery packs are gently cooled down to the required charging temperature, and then during the charging process are constantly maintained at optimum temperature. With this principle, a higher tool life of the battery packs and up to 30% shorter total charging time can be achieved.

Includes:

Hammer Drill 130Nm, 1/4" Impact Driver 200Nm, 2x 8.0Ah

Batteries, ASC 55 Charger, Carry case