

18V METAL SHEAR BARE (TOOL ONLY) SCV18LTXB1.6 (601615850) BY METABO



| SKU | Option | Part # | Price |
|---------|--------|-----------|-------|
| 8726949 | | 601615850 | \$719 |

| Model | |
|-------------------------|---------------------------------------|
| Type | Metal Shear |
| SKU | 8726949 |
| Part Number | 601615850 |
| Barcode | 4061792183353 |
| Brand | Metabo |
| Technical - Main | |
| Battery Voltage (V) | 18V |
| Features | |
| Standard Inclusions | Bare Tool Only (No Battery / Charger) |
| Packaging + Shipping | |
| Shipping Weight (Gross) | 1.48 kg |

Features:

Very handy and manoeuvrable cordless sheet-metal shears for burr-free cutting of sheet metal on site
Maximum cornering ability, for comfortable cutting of narrow radii from 15 mm

Faster working, thanks to the efficient brushless motor
Infinitely adjustable cutting speed for individual customisation to the given material and task at hand
Comfortable handling thanks to low weight, slim grip area and switch located on the top

Blade spacing can be flexibly adjusted to different sheet thicknesses

Economical four-way reversible blade, with the highest cut quality

Maximum safety in every cutting direction, thanks to large hand guard

Electronic overload protection for long service life

Specifications:

Max. sheet thickness for steel: 400 N/mm²: 1.6 mm / 0.0629 "

Max. sheet thickness for steel: 600 N/mm²: 1.2 mm / 0.0472 "

Max. sheet thickness for steel: 800 N/mm²: 0.7 mm / 0.0275 "

Max. sheet thickness for aluminium: 250 N/mm²: 2 mm / 0.0787 "

Strokes in idle: 1350 - 4840 rpm

Cutting speed: 7 m/min / 275 inch/min



23 Exhibition Drive, Malaga Western Australia

Monday - Friday 7am-5pm + Sat 8am-4pm

Sales Centre for Sales, Advice + Orders

T +61 8 9209 7400

hello@beyondtools.com

Starting hole diameter: 27 mm / 1.0629 "

Smallest curve radius: 15 mm / 0.5905 "

Vibration:

Cutting of sheets: 7.6 m/s²

Uncertainty of measurement K: 1.5 m/s²

Noise emission:

Sound pressure level: 74 dB(A)

Sound power level (LwA): 85 dB(A)

Uncertainty of measurement K: 3 dB(A)