

125MM (5") 18V RANDOM ORBITAL SANDER BARE (TOOL ONLY) BASIC IN SYSTAINER ETCS 125 576370 BY FESTOOL



SKU	Option	Part #	Price
8729011		576370	\$549

Model	
Type	Random Orbital Sander
SKU	8729011
Part Number	576370
Barcode	4014549355398
Brand	Festool
Size	150mm (6")
Technical - Main	
Power Source	Cordless
Battery Voltage (V)	18V
Brushless Motor	✓
Dimensions	
Product Weight (Net Weight)	1.4 kg
Features	
Standard Inclusions	Bare Tool Only (No Battery / Charger)
Safety	
Dust Port	27mm
Packaging + Shipping	
Shipping Weight (Gross)	1.48 kg



The new RTSC 400, DTSC 400, ETSC 125 cordless compact sanders ensure unparalleled mobility and ease of movement when working. The powerful 18 V battery pack with 3.1 Ah guarantees power similar to that of a mains-powered tool. And it is the key to an extremely compact design with balanced weight distribution and perfect ergonomics with a weight of just 1.4 kg. The integral dust extraction system, in combination with the long-life dust collection bag, enables the machine to be used flexibly – effortlessly even overhead, vertically or in hard-to-reach areas. The battery pack can be replaced with the plug it-mains adapter to achieve an unlimited running time – ideal for stationary applications and in combination with a Festool mobile dust extractor. **Main Applications:-**

Cable-free sanding where there is no power connection or where this is difficult to access (e.g. outdoors, on scaffolding)
Mobile working when the power cable and suction hose are extremely disruptive to the application (e.g. vertical surfaces, overhead sanding, rendering edges, etc.)
Ideal for vertical surfaces or overhead work
One-handed sander for small and narrow surfaces
Sanding off paint and varnish on window frames, door frames and eaves



23 Exhibition Drive, Malaga Western Australia

Monday - Friday 7am-5pm + Sat 8am-4pm

Sales Centre for Sales, Advice + Orders

T +61 8 9209 7400

hello@beyondtools.com

With plug it-mains adapter as a sanding machine with an unlimited running time during continuous electrical operation
â€” ideal for use indoors in combination with a Festool mobile dust extractor

Features:-

Work effortlessly overhead, vertically or in hard-to-reach areas â€” without power cable and hose, with perfect ergonomics and a weight of just 1.4 kg (including battery), perfectly balanced weight distribution and low height.

The powerful 18 V battery pack in combination with the brushless EC-TEC motor ensures constant sanding and power similar to that of a mains-powered tool.

Work without interruptions - Thanks to the battery packs with a capacity of 3.1 Ah which run for longer than their charge time.

A dust-free, healthier working environment - With the long-life dust collection bag (can be emptied and reused) made from extra-durable nonwoven polyester or in combination with a Festool mobile dust extractor.

A perfect fit for your hand -Comfortable handle thanks to its soft grip and ergonomically perfect switch position for both left- and right-handed operators.

Less reworking - PROTECTOR for smooth sanding along window surfaces, frames and panelling.

Achieving the perfect surface quality depends on the smallest of details. This is why Festool supplies suitable abrasives for every application and material. For guaranteed cost-effective work with perfect results, from coarse sanding to fine sanding.

Electronic

Speed control for adjusting to the working material.

EC-TEC Brushless Motor

The EC-TEC drive concept generates an extraordinary amount of power while consuming extremely low amounts of energy.

MPE Sanding Pad

Extremely durable sanding pads and sanding discs for long service life.

Lithium-ion battery

Fitted with high-performance lithium ion battery pack.

MULTI-JETSTREAM Principle

Sanding system with integral dust conveying concept. With the patented MULTI-JETSTREAM principle.

AIRSTREAM Battery

AIRSTREAM technology cools batteries for faster use and significantly increased charging capacity.

Protector

Protects the sanding pad and material when working close to edges.

Plug-it

Removable, replaceable power cable with safety lock for fast switchover.

CLEANTEC Dust Extraction

Standard adapter (27/36/50 mm) for dust extraction to safeguard the operator and the environment.

Turbo Dust Extraction

Turbo dust extraction ensures clean, dust free air and a clear view of the workpiece.

Bluetooth Interface

Use of mobile devices via Bluetooth standard.



23 Exhibition Drive, Malaga Western Australia

Monday - Friday 7am-5pm + Sat 8am-4pm

Sales Centre for Sales, Advice + Orders

T +61 8 9209 7400

hello@beyondtools.com

Plus Systainer

Plus versions of power tools come in systainer storage containers.