



23 Exhibition Drive, Malaga Western Australia

Monday - Friday 7am-5pm + Sat 8am-4pm

Sales Centre for Sales, Advice + Orders

T +61 8 9209 7400

hello@beyondtools.com

27L ULTRASONIC PARTS CLEANER 1038T BY TRADEQUIP PROFESSIONAL



SKU	Option	Part #	Price
8729509		1038T	\$2299

Model	
Type	Parts Washer
SKU	8729509
Part Number	1038T
Barcode	9332105010532
Brand	Tradequip
Size	27L
Packaging + Shipping	
Shipping Weight (Gross)	19.5 kg



The **TradeQuip "Made for the Trade"** ultrasonic parts cleaner makes it easy to clean items like carbies, calipers, nuts & bolts, most small metal parts - even jewellery. Just fill the cleaner with water, mix in a desirable ultrasonic cleaning additive (sold separately), set the timer and walk away to get on with another job. The ultrasonic cleaner works with or without heat and provides deep cleaning using ultrasound technology and water. The adjustable temperature and timer gives you a variety of cleaning performance options.

All **TradeQuip "Made for the Trade"** ultrasonic parts cleaners incorporate Lateral Oscillation Technology for fast and effective cleaning results. The internal basket system allows the lid to seal the working solution avoiding evaporation and reducing ultrasonic acoustic levels. The clear and easy design with compact and quiet operation make these products the market leaders. All TradeQuip tanks are manufactured from professional 304 grade 2mm stainless steel, with added thickness and increased corrosion resistance to alleviate problems associated with the use of citric acid. **REGULAR CLEANING IS A MUST!** Failure to do so may void warranty. Electropolishing passivates stainless steel to a greater extent than any other process. It applies an invisible protection oxide film on the surface which imparts a condition of maximum resistance to attack and corrosion. The



23 Exhibition Drive, Malaga Western Australia

Monday - Friday 7am-5pm + Sat 8am-4pm

Sales Centre for Sales, Advice + Orders

T +61 8 9209 7400

hello@beyondtools.com

tank is fitted with a convenient drain valve to empty and thoroughly clean any traces of cleaning solution and contaminants that are left over from cleaning cycle. This should be carried out at the end of each cleaning cycle and the tank be stored empty, clean and dry.

Particularly useful for mechanical, panel repair, small engine, electronics, jewellery, metal parts, assemblies, optical, electronic tools, circuit boards and other high performance cleaning applications.

The **TradeQuip "Made for the Trade"** ultrasonic parts cleaner is the most effective and efficient method for object cleaning slits, grooves, deep hole, blind hole, surface cleaning, removing oil, rust, oxides, etc.

Please note: Dependant on the setting of your temperature, solution ratio and power level, a cool down period of up to 30minutes may be required between cycles. Dependant on your application, complete cleaning result and cool down period requirements will vary. To reduce cycle times, use hot water at around 50°C instead of cold water.

Recommended TradeQuip Cleaning Fluid All
TradeQuip spare parts available in Australia!

Features

Adjustable timer from 1-30 minutes for perfect results
Cleaning basket included for cleaning batches of smaller parts
Remove more dirt with 20°- 80°C adjustable temperature
Sound-reducing cover
For use with water base solutions
High ultrasonic power for more cleaning action
Easy to read digital timer
Heated water function for improved cleaning when needed
Professional electroplated tank
Turbo ultrasonic power option to meet more cleaning needs
One-button power switch on the back, double security
Time setting: 0-30 minutes can be adjustable
Adjustable temperature control
Innovative heating mode, match thermostat sensor, improves the cleaning effect
New prevent water leak technology, guarantees product safety and service life
High efficiency conversion circuit, ultrasonic performance than similar products more than 20%,higher cleaning efficiency
Cylindrical LED light display for time and temperature adjusting
User-friendly and clear panel
304 Grade stainless steel tank
High-performance transducer systems
All spare parts available!

Specifications

Tank Capacity: 27 Litres
Ultrasonic Power: 500W
Ultrasonic Frequency: 40KHz
Ultrasonic Transducers: 10x50W
Heating Power: 500W
Heating Temperature: 20-80 C
Timer Range: 0-30 Minutes
Tank Material: 304 Grade 2mm thick
Tank Size: 500(L) x 300(W) x 200(H)mm



23 Exhibition Drive, Malaga Western Australia

Monday - Friday 7am-5pm + Sat 8am-4pm

Sales Centre for Sales, Advice + Orders

T +61 8 9209 7400

hello@beyondtools.com

Internal Dimension of Basket (including handles): 450 x 260 x 125 mm

Dimensions: 550(L) x 330(W) x 360(H)mm

Carton: 700 x 420 x 470mm

Weight: 19.5kg

Intended use

Ultrasonic Parts Cleaners are designed to use high frequency small bubbles in a cleaning tank to remove contaminants on a variety of parts and even debris embedded in tiny cracks and crevices.

Warning

REGULAR CLEANING IS A MUST! Failure to do so may void warranty.

This unit is a technologically advanced piece of equipment.

This is **not** a Degreaser

This is **not** a Parts Washer. Dirty Fluid & Sediment build up on the base of the tub **will** lead to premature failure of the Heating Element & Transducers

This unit requires emptying & cleaning between used to ensure the Heating Element & the Transducers can function as per specification