

RTSC 400 18V 80MM X 133MM CORDLESS ORBITAL 1/4 SHEET SANDER BLUETOOTH 3.0AH SET IN SYSTAINER 577684 BY FESTOOL



SKU	Option	Part #	Price
87433402		577684	\$1125

Model	
Type	Sander
SKU	87433402
Part Number	577684
Brand	Festool
Size	80mm x 133mm
Technical - Main	
Power Source	Cordless or Coded
Battery Voltage (V)	18V
Sanding Stroke	2 mm
Dimensions	
Product Weight (Net Weight)	0.9 kg
Packaging + Shipping	
Shipping Weight (Gross)	0.9 kg

The new ETSC 125, RTSC 400, DTSC 400 cordless compact sanders ensure unparalleled mobility and ease of movement when working.

The powerful 3.0 Ah 18 V Bluetooth® Ergo battery pack guarantees power similar to that of a mains-powered tool. And it is the key to an extremely compact design with balanced weight distribution and perfect ergonomics with a weight of just 1.4 kg.

The integral dust extraction system, in combination with the long-life dust collection bag, enables the machine to be used flexibly – effortlessly even overhead, vertically or in hard-to-reach areas. The Bluetooth® battery pack ensures simple working in combination with a Bluetooth®-compatible Festool mobile dust extractor and ensures that the extractor starts automatically in AUTO mode when the cordless sander is started up.

For unlimited running time, the battery pack can be replaced with the plug-it mains adapter – ideal for stationary applications and also in combination with a Festool mobile dust extractor.

Mobile and effortless: Without cable and hose, with perfect ergonomics, low height and a weight of just 1.4 kg

Powerful: The 18 V battery pack in combination with the brushless EC-TEC motor ensures power similar to that of a mains-powered tool

No interruptions: Thanks to battery packs with a capacity of 3.0 Ah which run for longer than their charge time

Unlimited running time: For continuous electrical operation, the battery pack can be replaced with the plug-in mains adapter (included in the set and available as an accessory)

A dust-free, healthy working environment: With the long-life dust collection bag made from extra-durable nonwoven polyester or in combination with a Festool mobile dust extractor

Less rework: PROTECTOR for smooth sanding along window surfaces, frames and panelling

Convenient dust extraction: The battery pack communicates via Bluetooth® with the Bluetooth® module of the CLEANTEC mobile dust extractor (can be retrofitted to the CT 26/36/48 as an accessory, directly integrated into the CT MINI I and MIDI I) and starts the mobile dust extractor automatically when the cordless sander is switched on.

Main applications

Cable-free sanding where there is no power connection or where this is difficult to access (e.g. outdoors, on scaffolding)

Mobile working when the power cable and suction hose are extremely disruptive to the application (e.g. vertical surfaces, overheard sanding, rendering edges, etc.)

Ideal for vertical surfaces or overhead work

One-handed sander for small and narrow surfaces

Sanding off paint and varnish on window frames, door frames and eaves

With plug it-mains adapter as a sanding machine with an unlimited running time during continuous electrical operation

- ideal for use indoors in combination with a Festool mobile dust extractor

Convenient working with dust extraction - Bluetooth® battery pack automatically starts Bluetooth®-compatible mobile dust extractor in AUTO mode



Maximum mobility

Work effortlessly overhead, vertically or in hard-to-reach areas - without power cable and hose, with perfect ergonomics and a weight of just 1.4 kg (including battery), perfectly balanced weight distribution and low height.



Powerful and durable

The powerful 18 V Bluetooth® Ergo battery pack in combination with the brushless EC-TEC motor ensures constant sanding and power similar to that of a mains-powered tool.



Work without interruptions

Thanks to the Bluetooth® battery packs with a capacity of 3.0 Ah and a longer running time than charge time.



Simply communicative

The Bluetooth® Ergo battery pack communicates via Bluetooth® with the Bluetooth® module of the CLEANTEC® mobile dust extractor (can be retrofitted to the CT 26/36/48 as an accessory, directly integrated into the CT MINI I and MIDI I) and starts the mobile dust extractor automatically when the cordless tool is switched on. In this way, you also benefit from the complete Festool dust-free system when working with the cordless sander.



Unique: With battery or cable

For all applications which require an even longer operating performance, the 18 V Bluetooth® Ergo battery pack can be replaced with the plug it-mains adapter (included in the set version and available as an accessory). This alone creates a mains powered machine with an unlimited running time in combination with the plug it-cable - ideal in conjunction with a Festool mobile dust extractor.

**A dust-free, healthier working environment**

With the long-life dust collection bag (can be emptied and reused) made from extra-durable nonwoven polyester or in combination with a Festool mobile dust extractor.

**Reliable extraction with the new CLEANTEC connecting system**

The integrated bayonet fitting connects the connecting sleeve on to the dust bag or the suction hose securely and quickly to the extractor connector on the power tool, and it can be detached just as quickly. You decide when, not chance.

**A perfect fit for your hand**

Comfortable handle thanks to its soft grip and ergonomically perfect switch position for both left- and right-handed operators.



Less reworking

PROTECTOR for smooth sanding along window surfaces, frames and panelling



Systems get it done

Achieving the perfect surface quality depends on the smallest of details. This is why Festool supplies suitable abrasives for every application and material. For guaranteed cost-effective work with perfect results, from coarse sanding to fine sanding.



Designed for the most difficult applications

Extremely robust and durable, including the three-year SERVICE all-inclusive package as a matter of course. Register your machine within 30 days of purchase and enjoy all the advantages of SERVICE all-inclusive. Everything our SERVICE all-inclusive has to offer also applies to battery packs and chargers.

Includes:

1 x RTSC 400 18V 80mm x 133mm Cordless Orbital 1/4 Sheet Sander

2 x 18V Li-Ion 3.0 Ah Ergo Bluetooth Battery Pack

TCL 6 Rapid Battery Charger

Power Adapter ACA 18V to 240V Ergo

StickFix Backing Pad 80mm x 130mm

Edge Protector for RTS 400 REQ



23 Exhibition Drive, Malaga Western Australia

Monday - Friday 7am-5pm + Sat 8am-4pm

Sales Centre for Sales, Advice + Orders

T +61 8 9209 7400

hello@beyondtools.com

Long Life Filter Dust Bag for RTS/DTS/ETS 125 REQ

Systainer Combi 2 Storage Box

Specifications:

Tool Weight (kg): 0.90 kg

Battery Voltage (V): 18 V

No Load Speed (rpm): 6,000 rpm - 10,000 rpm

Dust Extraction Connection Diameter (mm): 27 mm

Battery Capacity (Ah): 3.00 Ah

Sanding Stroke: 2 mm

Number of Strokes (rpm): 12 000 - 20 000 min⁻¹

Power Source: Cordless or Corded

Motor Type: Brushless