

BHC 18V CORDLESS ROTARY HAMMER BASIC IN SYSTAINER 577600 BY FESTOOL



SKU	Option	Part #	Price
87434281		577600	\$619

Model	
Type	Rotary Hammer
SKU	87434281
Part Number	577600
Barcode	4014549414637
Brand	Festool
Technical - Main	
Battery Voltage (V)	18V
Features	
Standard Inclusions	1 x BHC 18V Cordless Rotary Hammer, Soft Grip Side Handle 185 mm, Depth stop, Systainer3 SYS 2 Medium 187mm x 396mm Storage Box
Packaging + Shipping	
Shipping Weight (Gross)	1.48 kg

With vibration damping, an ergonomic C-shape and weighing only 2.5 kg (incl. 4.0 Ah Li-High Power Compact battery pack), the BHC 18 cordless hammer drill combines maximum performance with low weight – for powerful and effortless drilling even in the hardest materials.

The brushless EC-TEC motor requires no maintenance and makes it so robust and powerful. With extraordinarily high impact energy, the BHC 18 drills powerfully into concrete, stone and masonry.

The integrated vibration damping prevents the impact energy from being transferred to your hands. For dust-free working with the drilling dust nozzle, the Bluetooth® battery pack conveniently starts a connected CLEANTEC mobile dust extractor automatically when switching on the tool.

Features

Lightweight, maximum performance: Thanks to the powerful EC-TEC motor and compact C-shape

Work effortlessly: Vibration damping absorbs the impact energy before it is transferred to your hands

Robust: Brushless, maintenance-free EC-TEC motor for a long service life.

Individual battery power: For maximum ease of use for shorter and less demanding applications with the 3.0 Ah Compact battery pack. Or for full power and endurance with the 4.0 Ah Li-HighPower Compact battery pack

Even without impact: Percussive shut-off system possible e.g. for spot-drilling tiles

Convenient extraction: The battery pack communicates via Bluetooth® with the Bluetooth® module of the CLEANTEC mobile dust extractor (can be retrofitted to the CT 26/36/48 as an accessory, directly integrated into the CT MINI I and MIDI I) and starts the mobile dust extractor automatically when the cordless tool is switched on

Extremely long-lasting: No matter which battery pack you combine your Basic version with, our battery packs are extremely durable thanks to the high-quality battery cells

Main applications

Ideal for hammer drilling up to a diameter of 10 mm in concrete, stone and masonry (maximum diameter of 18 mm possible)

Its light weight and the compact design ensure great balance. It is therefore ideally suited for continuous use for interior finishing and assembly right up to securing EIF systems

Fastening of substructures, ceiling suspensions and other elements (dia. 5-10 mm) to concrete and masonry

Fastening of kitchen cabinets, wall shelves, sound insulation elements, drywalls, skirting boards

Drilling and screwdriving without impact, such as when spot-drilling floor tiles

Electrical socket cutting up to Ø 68 mm in lime sand brick and masonry

Working with dust extraction - Bluetooth® battery pack automatically starts Bluetooth®-compatible mobile dust extractor in AUTO mode



Work effortlessly, even overhead

The BHC offers an unbeatable power-weight ratio, outstanding ergonomics, a compact C-shape and balanced weight distribution.



Simply communicative

The Bluetooth® battery packs communicate with the Bluetooth® module of the CLEANTEC mobile dust extractor (can be retrofitted to the CT 26/36/48 as an accessory, directly integrated into the CT MINI I and MIDI I) and start the

mobile dust extractor automatically when the cordless tool is switched on. In this way, you also benefit from the complete Festool dust-free system when working with the hammer drill in combination with the drill dust nozzle.



Protecting the joints

The vibration damping absorbs and cushions the impact energy before it is transferred to your hands. For a healthy working environment.



Impact can be disabled

Ideal for drilling into tiles, for example.



For precise working

Main switch with acceleration function for controllable power.



Drill with pinpoint accuracy

The innovative SDS hammer drills enable precise positioning thanks to their sharp 90° centring point. The solid carbide head ensures an extremely long service life, especially when drilling into reinforced concrete.



Depth stop

Can be fitted above the additional handle.



LED lighting

Automatic light when operating the main switch for precision even in dark corners.



Working with extraction

Dust-free, residue-free drilling with a secure hold: Thanks to the drill dust nozzle and the patented dual-chamber system, drilling holes up to a maximum diameter of 12 mm in floors, walls and ceilings is effortless. A flexible joint piece ensures the optimum hose position and the foam rubber pad provides a secure hold even on uneven surfaces.