



23 Exhibition Drive, Malaga Western Australia

Monday - Friday 7am-5pm + Sat 8am-4pm

Sales Centre for Sales, Advice + Orders

T +61 8 9209 7400

hello@beyondtools.com

BSF INTERMEDIATE HSS TAP GOLIATH 1.3/8" X 8 - C122BB4 BY BORDO



SKU	Option	Part #	Price
9000350		C122BB4	\$279.8

Model	
Type	Intermediate Tap
SKU	9000350
Part Number	C122BB4
Brand	Bordo
Packaging + Shipping	
Shipping Weight (Gross)	0.0 kg



23 Exhibition Drive, Malaga Western Australia

Monday - Friday 7am-5pm + Sat 8am-4pm

Sales Centre for Sales, Advice + Orders

T +61 8 9209 7400

hello@beyondtools.com





23 Exhibition Drive, Malaga Western Australia

Monday - Friday 7am-5pm + Sat 8am-4pm

Sales Centre for Sales, Advice + Orders

T +61 8 9209 7400

hello@beyondtools.com

About this item:

1.3/8" x 8 BSF Intermediate HSS Tap - Goliath

HSS Bright Finish BSF Hand and Machine Intermediate Tap.

HSS Straight Flute Short Machine and Hand Taps.

These general purpose taps are ideal for creating new threads in a wide variety of materials.

Goliath HSS taps provide a high hardness to toughness ratio, compressive and tensile strength, good abrasion resistance and resistance to micro-chipping, ensuring a long tool life.

British Standard Fine thread form was based upon the British Standard Whitworth (BSW) but has a finer thread (more threads per inch for a given diameter).

The thread form was first introduced in 1908 and is specified in BS84:1956.

When used on external threads this series has greater tensile stress area than coarse threads of the same size.

Fine series threads will resist stripping out better than coarse threads in areas where the external and mating internal threads are subjected to loads equal to or greater than the capacity of the screw or bolt.

Fine threads are also used where the length of engagement is limited or where wall thickness demands a fine pitch.

Intermediate Taps have a lead of four threads and are used in most general purpose applications to cut a thread true to a pre-drilled pilot hole.

Manufactured from HSS this general purpose tap is designed for use in medium tensile materials and is for hand or general machine use.