

23 Exhibition Drive, Malaga Western Australia

Monday - Friday 7am-5pm + Sat 8am-4pm

Sales Centre for Sales, Advice + Orders T +61 8 9209 7400 hello@beyondtools.com

125MM 240V WALL CHASER & H-CLASS VACUUM / DUST EXTRACTOR COMBO MFE40 + ASA30HPC (AU60010080) BY METABO





SKU	Option	Part #	Price
934241		AU60010080	\$1995

Model		
Туре	Wall Chaser	
SKU	934241	
Part Number	AU60010080	
Barcode	9339742003354	
Brand	Metabo	
Size	125mm	
Technical - Main		
Power Source	240V 50Hz Single Phase	
Motor Power (Input)	1900W	
Motor Speed - No Load	5000rpm	
Noise Level (Std Pressure)	93dB (A)	
Sanding Disc Size	125 mm	
Packaging + Shipping		
Shipping Weight (Gross)	10.48 kg	

Features:

Compact vacuum cleaner of dust class H with integrated filter cleaning for versatile application

Fast coupling of metaBOXes with tools and accessories on the vacuum cleaner for easy change of location

Compact vacuum cleaner for liquids and dry solids with commercial registration

For extraction from power tools and to clean construction sites, workshops etc.

Power socket for a power tool for using the automatical start-up/shut-down of the vacuum cleaner

PressClean: manual filter cleaning using strong air flow by activating the switch on the extraction unit during breaks Maximum user protection: certified in accordance with EU standard for H class dusts

Suction stop when vacuuming liquids once the maximum fill level is reached

Warning signal on shortfall of the minimum volume flow to protect the user

Automatic trailing mechanism for emptying the suction hose completely

Antistatic basic equipment prevents static charge when using appropriate accessories

Easy transport thanks to cable and hose bracket as well as case for pipes and nozzles

Practical accessory accessory box with flip lid for small parts Supplied vacuum cleaner accessories with quick system for fast retrofitting when in use

Specification:

Rated input power: 1200W Max Air Output: 4200 l/min Vacuum: 225 hPa (mbar)

ABEYOND TOOLE

23 Exhibition Drive, Malaga Western Australia

Monday - Friday 7am-5pm + Sat 8am-4pm

Sales Centre for Sales, Advice + Orders T +61 8 9209 7400 hello@beyondtools.com

Filter surface: 5000cm² Container volume: 30L

Suction hose Diameter: 32mm Suction hose length: 4m Cable Length: 8m Weight: 10.8kg

Warranty: 6 Years Warranty Covered By Metabo via

registration **Includes:**

Antistatic suction hose Quick (Ø 32 mm / 4 m)

Handle adapter Quick Premium 3 Suction tubes (chrome-plated) Special filter bag for H-class

Crevice nozzle

Floor nozzle (360 mm wide) Suction nozzle (120 mm wide)

Brush nozzle

Coupling bush Quick \emptyset 28/35 mm Coupling bush Quick \emptyset 40/45 mm

Metabo MFE 40 - 1900W 125mm (5") Wall Chaser 604040530

Features:

Ideal for electric installations to lay cables and empty pipes under plaster with cutting depths up to 40mm

Maximum work progress by means of powerful motor, constant speed and two-speed high-performance gear Robust aluminum die-cast hood with rubber rolls and optimal handle position for comfortable guiding of the machine Pushing cut for optimal view of the marking line Channel width and cutting depth can be set

Metabo Marathon motor with patented dust protection for long service life

Tacho-Constamatic (TC)-Full Wave Electronics: fast work progress by means of constant speed under load Electronic soft start and restart protection for safe working LED signal informs about overload or active restart protection Clean, low-dust working by means of connecting a Metabo all-purpose vacuum cleaner (certified with ASR 35 M ACP) Suitable for slitting grooves up to a width of 30 mm without centre in one workstep (with special accessories) Also suitable for cutting with only one diamond cutting disc Metabo S-automatic safety clutch: mechanical decoupling of the drive for safe working should the disc stop unexpectedly

Specifications:

Characteristics

Adjustable cutting depth10 - 40 mm // 3/8 - 1 5/8 " Possible groove widths 9, 15.5, 22, 28.5 & 35mm Can be used with a single blade for cutting

Cutting disc Ø125 mm / 5 " Rated input power1900 W

Output power 1120 W

No-load speed 5000 rpm

Revolutions at rated load 4200 rpm

Torque 6 Nm

Weight (without power cable) 4.6 kg / 10.1 lbs

Cable length 4 m / 13 ft

Noise emission

Sound pressure level 93 dB(A) Sound power level (LwA) 104 dB(A)

Uncertainty of measurement K3 dB(A)

WWW.BEYONDTOOLS.COM - © COPYRIGHT 2024 BEYOND TOOLS - VERSION: 20241122

Errors and omissions excepted



23 Exhibition Drive, Malaga Western Australia

Monday - Friday 7am-5pm + Sat 8am-4pm

Sales Centre for Sales, Advice + Orders T +61 8 9209 7400 hello@beyondtools.com

Includes:

- 1 x Spacer Rings
- 1 x Face pin wrench
- 1 x Chase chisel
- 2 x Diamond cutting discs
- 1 x Flange nut
- 1 x Plastic carry case