



23 Exhibition Drive, Malaga Western Australia

Monday - Friday 7am-5pm + Sat 8am-4pm

Sales Centre for Sales, Advice + Orders

T +61 8 9209 7400

hello@beyondtools.com

200MM (8") LOW SPEED BENCH GRINDER 80-808 BY RIKON



Sharpening tools or general grinding work is made a bit easier and more exact with RIKON's low-speed bench grinders with motor speeds of only 1,750 RPM, where other grinders operate at 3,450 RPM! This lower speed means that metal being removed can be controlled better, and reduces heat build-up and 'bluing' of a cutting edge being sharpened – ruining the hardness and temper of the tool.

1HP Low Speed Bench Grinder #80-808 is a larger size motor and will tackle the tough grinding jobs that are typical in production shops, as well as the finesse shaping and sharpening of hand tools. Tool rests on this machine are extra-large and flat, without a drill bit sharpening groove. Wheel flanges are cast metal. Grinder includes dual dust collection ports on the rear of the wheel guards and a second pair of eye shields with 2.5x magnification for close-up inspection of your edges being ground.

Features

- Cast iron base with rubber feet reduces vibration
- Holes in the base for mounting grinders to a bench or stand
- Metal wheel guards for added protection
- Adjustable cast metal tool rests give solid tool support
- Adjustable safety eye shields give added protection
- Adjustable spark shields keep users safe from hot sparks
- Aluminum oxide grinding wheels give fine cutting action
- 60 Grit abrasive wheel for rough grinding and metal removal
- 120 Grit abrasive wheel for final sharpening or shaping
- Includes flexible LED work light

SKU	Option	Part #	Price
9700042		80-808	\$359

Model	
Type	Bench Grinder
SKU	9700042
Part Number	80-808
Brand	Rikon
Size	200mm (8")
Technical - Main	
Power Source	240V 50Hz Single Phase
Motor Power (Input)	1HP / 750W
Sanding Disc Speed	1450RPM
Speed Range	1450RPM
Dimensions	
Product Length	483 mm
Product Width	305 mm
Product Height	356 mm
Country of Origin	
Manufactured in	China
Features	
Flexible Worklight	✓
Standard Inclusions	2 x Plain Eye Shield Assemblies, 2 x 2.5X Magnifying Eye Shield Assemblies,
Safety	
Dust Port	2 x 31mm (OD)
Workshop (Site) Info	
Electrical Connection	10Amp Lead & Plug
Other Requirements	Benchtop
Warranty	
Warranty	5 Years
Packaging + Shipping	
Shipping Length	620 mm
Shipping Width	400 mm
Shipping Height	360 mm
Shipping Weight (Gross)	27.0 kg
Packaging	Cardboard Box
Requires a Forklift / Tail Lift to Unload	✓
Shipping Notes	This product is classified as 'Heavy / Oversized' and generally does not qualify for FREE SHIPPING.



23 Exhibition Drive, Malaga Western Australia

Monday - Friday 7am-5pm + Sat 8am-4pm

Sales Centre for Sales, Advice + Orders

T +61 8 9209 7400

hello@beyondtools.com