



23 Exhibition Drive, Malaga Western Australia

Monday - Friday 7am-5pm + Sat 8am-4pm

Sales Centre for Sales, Advice + Orders

T +61 8 9209 7400

[hello@beyondtools.com](mailto:hello@beyondtools.com)

## BSPF INTERMEDIATE CHROME TAP BY BORDO



SKU	Option	Part #	Price
9801402	Size: 1/4" x 19TPI	4246-1/4I	\$14.6
9801401	Size: 1/8" x 28TPI	4246-1/8I	\$11.44

Model	
Type	Intermediate Tap
SKU	9801402
Part Number	4246-1/4I
Barcode	9326518044796
Brand	Bordo
Packaging + Shipping	
Shipping Weight (Gross)	0.0 kg



**23 Exhibition Drive, Malaga Western Australia**

Monday - Friday 7am-5pm + Sat 8am-4pm

**Sales Centre** for Sales, Advice + Orders

T +61 8 9209 7400

[hello@beyondtools.com](mailto:hello@beyondtools.com)



**About this item:**

Chrome Alloy BSPF (G Series) Intermediate Hand Tap.



**23 Exhibition Drive, Malaga Western Australia**

Monday - Friday 7am-5pm + Sat 8am-4pm

**Sales Centre** for Sales, Advice + Orders

T +61 8 9209 7400

[hello@beyondtools.com](mailto:hello@beyondtools.com)

Used as thread chasers to clean an existing thread.

They can also be used to create a new female thread in non-ferrous metals and plastics.

Chrome alloy taps are not suitable for creating precision, safety or critical threads.

British Standard Pipe (G Series) is a pipe thread which is used mainly for mechanical coupling.

The angle of thread is mainly 55° however for the US method some threads have a 60° angle. It is specified according to JIS and ISO R228.

Intermediate Taps have a lead of four threads and are used in most general purpose applications to cut a thread true to a pre-drilled pilot hole.

**Options**

4246-1/4I

4246-1/8I