

## 125MM 1550W ANGLE GRINDER WEV15-125 QUICK (600468190) BY METABO



SKU	Option	Part #	Price
9803650		600468190	\$459

Model	
Type	Angle Grinder
SKU	9803650
Part Number	600468190
Barcode	4007430245571
Brand	Metabo
Technical - Main	
Motor Speed - No Load	2800 - 11000 rpm
Dimensions	
Product Weight (Net Weight)	2.5 kg
Packaging + Shipping	
Shipping Weight (Gross)	1.48 kg



Highest service life for extreme applications: robust, powerful angle grinder with speed control and greatest power density in its class for quick work progress

Longer service life, more power: the Metabo Marathon-motor with patented dust protection, up to 20% more overload capacity and 50% more torque

Vario Tacho Constamatic (VTC) Full-wave Electronics with Thumbwheel: for working at customised speeds to suit the application material and speeds that remain almost constant, even under load

Tool free, fast disc change at the touch of a button with the Metabo M-Quick-System

Tool-free adjustable guard; twist-proof

Low-vibration side handle Metabo VibraTech (MVT)

Metabo S-automatic mechanical safety clutch: minimises kick-back to the lowest level when the disc jams unexpectedly - for maximum user safety and swift progress

Electronic overload protection, soft start and restart protection

Gear housing can be unscrewed, rotated in 90 ° steps and remounted for left-handed operation or cutting

Auto-stop carbon brushes to protect the motor

The machine shown may differ in equipment and technical details depending on the configuration.

### Specifications:

Grinding wheel  $\varnothing$ : 125 mm / 5 "

Rated input power: 1550 W

Output power: 940 W



**23 Exhibition Drive, Malaga Western Australia**

Monday - Friday 7am-5pm + Sat 8am-4pm

**Sales Centre** for Sales, Advice + Orders

T +61 8 9209 7400

[hello@beyondtools.com](mailto:hello@beyondtools.com)

No-load speed: 2800 - 11000 rpm

Revolutions at rated load: 11000 rpm

Torque: 3.5 Nm / 31 in-lbs

Spindle thread: M 14

Weight (without power cable): 2.5 kg / 5.5 lbs

Cable length: 4 m / 13 ft

**Vibration:**

Surface grinding: 6 m/s<sup>2</sup>

Uncertainty of measurement K: 1.5 m/s<sup>2</sup>

Grinding with sandpaper: 3.6 m/s<sup>2</sup>

Uncertainty of measurement K: 1.5 m/s<sup>2</sup>

**Noise emission:**

Sound pressure level: 93 dB(A)

Sound power level (LwA): 104 dB(A)

Uncertainty of measurement K: 3 dB(A)

**Includes:**

Guard

Inner Support Flange

M-Quick flange nut

Metabo VibraTech (MVT) side handle