

23 Exhibition Drive, Malaga Western Australia

Monday - Friday 7am-5pm + Sat 8am-4pm

Sales Centre for Sales, Advice + Orders T +61 8 9209 7400 hello@beyondtools.com

125MM 1750W ANGLE GRINDER WE17-125 QUICK RT (601086000) BY METABO





SKU	Option	Part #	Price
9803799		601086000	\$469
Model			

Model	
Туре	Angle Grinder
SKU	9803799
Part Number	601086000
Barcode	4007430311641
Brand	Metabo
Technical - Main	
Motor Speed - No Load	11000 rpm
Dimensions	
Product Weight (Net Weight)	2.5 kg
Packaging + Shipping	
Shipping Weight (Gross)	1.48 kg



Maximum productivity thanks to top performance with low weight

Perfect ergonomics thanks to slim handle for maximum control and easy working overhead

Metabo Marathon-motor with new cooling and carbon brush system for twice the service life

Tacho Constamatic (TC) Full-wave Electronics: fast work progress by means of constant speed under load M-Quick System for tool-free disc change at the touch of a

Tool-free adjustable guard; twist-proof
Low-vibration side handle Metabo VibraTech (MVT)
Metabo S-automatic mechanical safety clutch: minimises
kick-back to the lowest level when the disc jams
unexpectedly - for maximum user safety and swift progress
Electronic soft start and restart protection
Gear housing can be unscrewed, rotated in 90 ° steps and
remounted for left-handed operation or cutting
Auto-stop carbon brushes to protect the motor
The machine shown may differ in equipment and technical
details depending on the configuration.

Specifications:

Grinding wheel Ã~: 125 mm / 5 " Rated input power: 1750 W Output power: 1070 W No-load speed: 11000 rpm

Revolutions at rated load: 11000 rpm

Torque: 3.8 Nm / 34 in-lbs



23 Exhibition Drive, Malaga Western Australia

Monday - Friday 7am-5pm + Sat 8am-4pm

Sales Centre for Sales, Advice + Orders T +61 8 9209 7400 hello@beyondtools.com

Spindle thread: M 14

Weight (without power cable): 2.5 kg / 5.5 lbs

Cable length: 4 m / 13 ft

Vibration:

Surface grinding: 6.8 m/s^2

Uncertainty of measurement K: 1.5 m/s $^{\rm 2}$ Grinding with sandpaper: 3 m/s $^{\rm 2}$

Uncertainty of measurement K: 1.5 m/s ²

Noise emission:

Sound pressure level: 92 dB(A) Sound power level (LwA): 103 dB(A) Uncertainty of measurement K: 3 dB(A)

Includes: Guard

Inner Support Flange

M-Quick flange nut

Metabo VibraTech (MVT) side handle